

# Research using the Multifactorial Memory Questionnaire

## Original validation study: 2002

Troyer, A. K., & Rich, J. B. (2002). Psychometric properties of a new metamemory questionnaire for older adults. *Journals of Gerontology: Psychological Sciences*, *57*, 19-27. doi:10.1093/geronb/57.1.P19.

## Other research, by year of publication:

### 2001

Troyer, A. K. (2001). Improving memory knowledge, satisfaction, and functioning via an education and intervention program for older adults. *Aging, Neuropsychology, and Cognition*, *8*, 256-268. doi:10.1076/anec.8.4.256.5642.

### 2004

Fort, I., Adoul, L., Holl, D., Kaddour, J., & Gana, K. (2004). Psychometric properties of the French version of the Multifactorial Memory Questionnaire for adults and the elderly. *Canadian Journal on Aging*, *23*, 347-357. doi:10.1353/cja.2005.0020

Ide, S., Takahashi, M., & Mori, N. (2004). Multifactorial Memory Questionnaire-Japanese version (MMQ-J): Assessing validity and reliability. *Gerontologist*, *44* (Special issue 1), 518. doi:10.1093/geront/44.Special\_Issue\_1.1

### 2006

Phillips, L. J., & Stuijbergen, A. K. (2006). The influence of metamemory on the quality of life of persons with multiple sclerosis. *Journal of Neuroscience Nursing*, *38*, 428-434. doi:10.1097/01376517-200612000-00007

### 2007

Hohaus, L. (2007). Remembering to age successfully: Evaluation of a successful aging approach to memory enhancement. *International Psychogeriatrics*, *19*, 137-150. doi:10.1017/S1041610206003760

### 2008

Schmitter-Edgecombe, M., Howard, J. T., Pavawalla, S. P., Howell, L., & Rueda, A. (2008). Multidayad memory notebook intervention for very mild dementia: A pilot study. *American Journal of Alzheimer's Disease & Other Dementias*, *23*, 477-487. doi:10.1177/1533317508320794

Troyer, A. K., Murphy, K. J., Anderson, N. D., Moscovitch, M., & Craik, F. I. M. (2008). Changing everyday memory behaviour in amnesic mild cognitive impairment: A randomized controlled trial. *Neuropsychological Rehabilitation*, *18*, 65-88. doi:10.1080/09602010701409684.

### 2009

Chung, J. C. C., & Man, D. W. K. (2009). Self-appraised, informant-reported, and objective memory and cognitive function in mild cognitive impairment. *Dementia and Geriatric Cognitive Disorders*, *27*, 187-193. doi:10.1159/000200467.

Kinsella, G. J., Mullaly, E., Rand, E., Ong, B., Burton, C., Price, S., . . . Storey, E. (2009). Early intervention for mild cognitive impairment: A randomised controlled trial. *Journal of Neurology, Neurosurgery, and Psychiatry*, *80*, 730-736. doi:10.1136/jnnp.2008.148346

Svoboda, E., & Richards, B. (2009). Compensating for anterograde amnesia: A new training method that capitalizes on emerging smartphone technologies. *Journal of the International Neuropsychological Society*, *15*, 629-638. doi:10.1017/S1355617709090791

## 2010

Fairchild, J. K., & Scogin, F. R. (2010). Training to Enhance Adult Memory (TEAM): An investigation of the effectiveness of a memory training program with older adults. *Aging & Mental Health*, *14*, 364-373. doi:10.1080/13607860903311733

Jean, L., Simard, M., Wiederkehr, S., Bergeron, M.-É., Turgeon, Y., Hudon, C., . . . van Reekum, R. (2010). Efficacy of a cognitive training programme for mild cognitive impairment: Results of a randomised controlled study. *Neuropsychological Rehabilitation*, *20*, 377-405. doi:10.1080/0960201093343012

## 2011

Biermann, J. S., & Hartman-Stein, P. E. (2011). Keys to a Sharp Mind: Providing choice and quality programming in a retirement community. In P. E. Hartman-Stein & A. La Rue (Eds.) *Enhancing cognitive fitness in adults: A guide to the use and development of community-based programs* (pp. 107-124). New York: Springer. doi:10.1007/978-1-4419-0636-6\_6

Hutchens, R. L., Kinsella, G. J., Ong, B., Pike, K. E., Parsons, S., Storey, E., . . . Clare, L. (2011). Knowledge and use of memory strategies in amnesic mild cognitive impairment. *Psychology and Aging*, *27*, 768-777. doi:10.1037/a0026256

Matteau, E., Dupré, N., Langlois, M., Jean, L., Thivierge, S., Provencher, P., & Simard, M. (2011). Mattis Dementia Rating Scale 2: Screening for MCI and dementia. *American Journal of Alzheimer's Disease and Other Dementias*, *26*, 389-398. doi:10.1177/1533317511412046

van der Werf, S. P., & Vos, S. H. (2011). Memory worries and self-reported daily forgetfulness: A psychometric evaluation of the Dutch translation of the Multifactorial Memory Questionnaire. *The Clinical Neuropsychologist*, *25*, 244-268. doi:10.1080/13854046.2010.543290

## 2012

Bruno, J., Hadi Hosseini, S. M., & Kesler, S. (2012). Altered resting state functional brain network topology in chemotherapy-treated breast cancer survivors. *Neurobiological Disorders*, *48*, 329-338. doi:10.1016/j.nbd.2012.07.009

Lenehan, M. E., Klekociuk, S. Z., & Summers, M. J. (2012). Absence of a relationship between subjective memory complaint and objective memory impairment in mild cognitive impairment (MCI): Is it time to abandon subjective memory complaint as an MCI diagnostic criterion? *International Psychogeriatrics*, *24*, 1505-1514. doi:10.1017/S1041610212000695

Man, D. W. K., Chung, J. C. C., & Lee, G. Y. Y. (2012). Evaluation of a virtual reality-based memory training programme for Hong Kong Chinese older adults with questionable dementia: A pilot study. *International Journal of Geriatric Psychiatry*, *27*, 513-520. doi:10.1002/gps.2746

Savage, K. R., & Svoboda, E. (2012). Long-term benefits of the Memory-Link programme in a case of amnesia. *Clinical Rehabilitation*, *27*, 521-526. doi:10.1177/0269215512464230

Stuifbergen, A. K., Becker, H., Perez, F., Morison, J., Kullberg, V., & Todd, A. (2012). A randomized controlled trial of a cognitive rehabilitation intervention for persons with multiple sclerosis. *Clinical Rehabilitation, 26*, 882-893. doi:10.1177/0269215511434997

Svoboda, E., Richards, B., Leach, L., & Mertens, V. (2012). PDA and smartphone use by individuals with moderate-to-severe memory impairment: Application of a theory-driven training programme. *Neuropsychological Rehabilitation, 22*, 408-427. doi:10.1080/09602011.2011.652498

## 2013

Kesler, S. R., Janelins, M., Koovakkattu, D., Palesh, O., Mustian, K., Morrow, G., & Dhabhar, F. (2013). Reduced hippocampal volume and verbal memory performance associated with interleukin-6 and tumor necrosis factor-alpha levels in chemotherapy-treated breast cancer survivors. *Brain, Behavior, and Immunity, 30*, S109-S116. doi:10.1016/j.bbi.2012.05.017

Kesler, S. R., Watson, C., Koovakkattu, D., Lee, C., O'Hara, R., Mahaffey, M. L., & Wefel, J. S. (2013). Elevated prefrontal myo-inositol and choline following breast cancer chemotherapy. *Brain Imaging and Behavior, 7*, 501-510. doi:10.1007/s11682-013-9228-1

Kesler, S. R., Wefel, J. S., Hadi Hosseini, S. M., Cheung, M., Watson, C. L., & Hoefft, F. (2013). Default mode network connectivity distinguishes chemotherapy-treated breast cancer survivors from controls. *Proceedings of the National Academy of Sciences, 110*, 11600-11605. doi:10.1073/pnas.1214551110

Konsztowicz, S., Anton, J., Crane, J., Moafmashhadi, P., & Koski, L. (2013). A pilot study of training and compensation interventions for mild cognitive impairment. *Dementia and Geriatric Cognitive Disorders, 3*, 192-201. doi:10.1159/000350026

Riffo, B., Reyes, F., & Véliz de Vos, M. (2013). Psychometric properties of Multifactorial Memory Questionnaire in Chilean adult population. *Terapia Psicológica, 31*, 227-237.

Wiegand, M. A., Troyer, A. K., Gojmerac, C., & Murphy, K. J. (2013). Facilitating change in health-related behaviours and intentions: A randomized controlled trial of a multidimensional memory program for older adults. *Aging and Mental Health, 17*, 806-815. doi:10.1080/13607863.2013.789000

## 2014

Chin, J., Oh, K. J., Seo, S. W., & Na, D. L. (2014). Are depressive symptomatology and self-focused attention associated with subjective memory impairment in older adults? *International Psychogeriatrics, 26*, 573-580. doi:10.1017/S104161021300241X

Fortier-Brochu, É. & Morin, C. M. (2014). Cognitive impairment in individuals with insomnia: Clinical significance and correlates. *Sleep, 37*, 1787-1798. doi:10.5665/sleep.4172

Imbeault, H., Bier, N., Pigot, H., Gagnon, L., Marcotte, N., Fulop, T., & Giroux, S. (2014). Electronic organiser and Alzheimer's disease: Fact or fiction? *Neuropsychological Rehabilitation, 24*, 71-100. doi:10.1080/09602011.2013.858641

Stamenova, V., Jennings, J. M., Cook, S. P., Walker, L. A. S., Smith, A. M., & Davidson, P. S. R. (2014). Training recollection in healthy older adults: Clear improvements on the training task, but little evidence of transfer. *Frontiers in Human Neuroscience, 8*, 898. doi:10.3389/fnhum.2014.00898

## 2015

- Desgagnés-Cyr, C.-É., Bier, N., Parisien, M., Nour, K., Auger, L.-P., Fournier, B., & Laforest, S. (2015). Effect of physical activity among seniors participating in a cognitive health promotion program. *Healthy Aging Research, 4*, 25. doi:10.12715/har.2015.4.25
- Ferguson, S., Friedland, D., & Woodberry, E. (2015). Smartphone technology: Gentle reminders of everyday tasks for those with prospective memory difficulties post-brain injury. *Brain Injury, 29*, 583-591. doi:10.3109/02699052.2014.1002109
- Illman, N. A., Moulin, C. J. A., & Kemp, S. (2015). Assessment of everyday memory functioning in temporal lobe epilepsy and healthy adults using the Multifactorial Memory Questionnaire (MMQ). *Epilepsy Research, 113*, 86-89. doi:10.1016/j.eplepsyres.2015.03.011
- Kinsella, G. J., Ames, D., Storey, E., Ong, B., Pike, K. E., Saling, M. M., Clare, L., Mullaly, E., & Rand, E. (2015). Strategies for improving memory: A randomized trial of memory groups for older people, including those with mild cognitive impairment. *Journal of Alzheimer's Disease, 49(1)*, 31-43. doi:10.3233/JAD-150378

## 2016

- Bazargan, M., Yazdanshenas, H., Gordon, D., & Orum, G. (2016). Pain in community-dwelling elderly African Americans. *Journal of Aging and Health, 28(3)*, 403-425. doi:10.1177/0898264315592600
- Cassel, A., & Humphreys, K. (2016). Psychological therapy for psychogenic amnesia: Successful treatment in a single case study. *Neuropsychological Rehabilitation, 26(3)*, 374-391. doi:10.1080/09602011.2015.1033431
- Cuevas, H., & Stuifbergen, A. (2016). Perceived cognitive deficits are associated with diabetes self-management in a multiethnic sample. *Journal of Diabetes & Metabolic Disorders, 16*, 7. doi:10.1186/s40200-017-0289-3
- Fogarty, J., Murphy, K. J., McFarlane, B., Montero-Odasso, M., Wells, J., Troyer, A. K., Trinh, D., Gutmanis, I., & Hansen, K. T. (2016). Taoist Tai Chi and memory intervention for individuals with mild cognitive impairment. *Journal of Aging and Physical Activity, 24*, 169-180. doi:10.1123/japa.2014-0062
- Imbeault, H., Gagnon, L., Pigot, H., Giroux, S., Marcotte, N., Cribier-Delande, P., . . . Bier, N. (2016). Impact of AP@LZ in the daily life of three persons with Alzheimer's disease: Long-term use and further exploration of its effectiveness. *Neuropsychological Rehabilitation*. Advance online publication. doi:10.1080/09602011.2016.1172491
- Imbeault, H., Langlois, F., Bocti, C., Gagnon, L., & Bier, N. (2016). Can people with Alzheimer's disease improve their day-to-day functioning with a tablet computer? *Neuropsychological Rehabilitation*. Advance online publication. doi:10.1080/09602011.2015.1133431
- Jeong, J. H., Na, H. R., Choi, S. H., Kim, J., Na, D. L., Seo, S. W., . . . Kim, J. Y. (2016). Group- and home-based cognitive intervention for patients with mild cognitive impairment: A randomized controlled trial. *Psychotherapy and Psychosomatics, 85*, 198-207. doi:10.1159/000442261
- Li, B., Zhu, X., Jou, J., Chen, T., Wang, P., & Li, J. (2016). Combined cognitive training vs. memory strategy training in healthy older adults. *Frontiers in Psychology, 7*, 834. doi:10.3389/fpsyg.2016.00834
- Parikh, P. K., Troyer, A. K., Maione, A. M., & Murphy, K. J. (2016). The impact of memory change on daily life in normal aging and mild cognitive impairment. *The Gerontologist, 56*, 877-885. doi:10.1093/geront/gnv030

- Raimo, S., Trojano, L., Siciliano, M., Cuoco, S., D’Oorio, Santangelo, F., . . . Santangelo, G. (2016). Psychometric properties of the Italian version of the Multifactorial Memory Questionnaire for adults and the elderly. *Neurological Sciences, 37*, 681-691. doi:10.1007/s10072-016-2562-5
- Simon, S. S., Ávila, R. T., Vieira, G., & Bottino, C. M. C. (2016). Metamemory and aging: Psychometric properties of the Brazilian version of the Multifactorial Memory Questionnaire for elderly. *Dementia & Neuropsychologia, 10*, 113-126. doi:10.1590/s1980-5764-2016dn1002007
- Unkenstein, A. E., Bryant, C. A., Judd, F. K., Ong, B., & Kinsella, G. J. (2016). Understanding women’s experience of memory over the menopausal transition: Subjective and objective memory in pre-, peri-, and postmenopausal women. *Menopause, 23*, 1319-1329. doi:10.1097/GME.0000000000000705
- Van der Werf, S. P., Geurts, S., & de Werd, M. M. E. (2016). Subjective memory ability and long-term forgetting in patients referred for neuropsychological assessment. *Frontiers in Psychology, 7*, 605. doi:10.3389/fpsyg.2016.00605
- Yun, K., Song, I.-U., & Chung, Y.-A. (2016). Changes in cerebral glucose metabolism after 3 weeks of noninvasive electrical stimulation of mild cognitive impairment patients. *Alzheimer’s Research & Therapy, 8*:49. doi:10.1186/s13195-016-0218-6
- 2017**
- Bazargan, M., Smith, J., Yazdanshenas, H., Movassaghi, M., Martins, D., & Orum, G. (2017). Non-adherence to medication regimens among older African-American adults. *BMC Geriatrics, 17*, 163. Doi:10.1186/s12877-017-0558-5
- Heidari, Z., & Feizi, A. (2017). The Isfahan comprehensive elderly study: Objectives, research design, methodology, and preliminary results. *Journal of Research in Medical Sciences, 22*, 88. doi:10.4103/jrms.JRMS\_309\_17
- Henneghan, A., Stuijbergen, A., Becker, H., Kullberg, V., & Gloris, N. (2017). Perceived cognitive deficits in a sample of persons living with multiple sclerosis. *Journal of Neuroscience Nursing, 49*, 274-279. doi:10.1097/JNN.0000000000000314.
- Laforest, S., Lorthios-Guilledroit, A., Nour, K., Parisien, M., Fournier, M., Ellemberg, D., . . . Bier, N. (2017). Attitudes and lifestyle changes following *Jog your Mind*: Results from a multi-factorial community-based program promoting cognitive vitality among seniors. *Health Education Research, 32*, 184-196. doi:10.1093/her/cyx031
- Mudar, R. A., Chapman, S. B., Rackley, A., Eroh, J., Chiang, H.-S., Perez, A., . . . & Spence, J. S. (2017). Enhancing latent cognitive capacity in mild cognitive impairment with gist reasoning training: A pilot study. *International Journal of Geriatric Psychiatry, 32*, 548–555. doi:10.1002/gps.4492
- O’Connor, M. K., Kraft, M. L., Daley, R., Sugarman, M. A., Clark, E. L., Scoglio, A. A. J., & Shirk, S. D. (2017). The aging well through interaction and scientific education program. *Clinical Gerontologist*. Advance online publication. doi:10.1080/07317115.2017.1387212
- Oh, S., J., Seo, S., Lee, J. H., Song, M. J., & Shin, M.-S. (2017). Effects of smartphone-based memory training for older adults with subjective memory complaints: A randomized controlled trial. *Aging and Mental Health*. Advance online publication. doi:10.1080/13607863.2016.1274373
- Pike, K. E., Ong, B., Clare, L., & Kinsella, G. J. (2017). Face-name memory training in subjective memory decline: How does office-based training translate to everyday situations? *Aging, Neuropsychology, and Cognition*. Advance online publication. doi:10.1080/13825585.2017.1366971

- Regan, B., Wells, Y., Farrow, M., O'Halloran, P., & Workman, B. (2017). MAXCOG – Maximizing Cognition: A randomized controlled trial of the efficacy of goal-oriented cognitive rehabilitation for people with mild cognitive impairment and early Alzheimer disease. *American Journal of Geriatric Psychiatry, 25*, 258-269. doi:10.1016/j.jagp.2016.11.008
- Rotenberg Shpigelman, S., Sternberg, S., & Maeir, A. (2017). Beyond memory problems: Multiple obstacles to health and quality of life in older people seeking help for subjective memory complaints. *Disability and Rehabilitation*. Advance online publication. doi:10.1080/09638288.2017.1370729
- Stamenova, V., Jennings, J. M., Cook, S. P., Gao, F., Walker, L. A. S., Smith, A. M., & Davidson, P. S. R. (2017). Repetition-lag memory training is feasible in patients with chronic stroke, including those with memory problems. *Brain Injury, 31*, 57-67. doi:10.3109/02699052.2016.1147076
- Unkenstein, A. E., Bei, B., & Bryant, C. A. (2017). Enhancing memory self-efficacy during menopause through a group memory strategies program. *Menopause, 24*, 574-581. doi:10.1097/GME.0000000000000803